

PERFORMANCE SPECIFICATION

SWITCHES AND SWITCH ASSEMBLIES, SENSITIVE, SNAP ACTION (BASIC, LIMIT, PUSH BUTTON AND TOGGLE SWITCHES), GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-PRF-8805E, dated 23 January 1998.

SPECIFICATION SHEETS

MIL-PRF-8805/1	-	Switches, Sensitive, SPDT, Unsealed.
MIL-PRF-8805/2	-	Switches, Sensitive, SPDT.
MIL-PRF-8805/3	-	Switches, Push, 10 Amperes or Low Level, Dusttight.
MIL-PRF-8805/4	-	Switches, Sensitive, SPDT, Unsealed.
MIL-PRF-8805/7	-	Switches, Sensitive, Momentary, 2 Circuit or SPST (10 Amperes), Unsealed.
MIL-PRF-8805/8	-	Switches, Sensitive, SPDT, Leaf Actuator, Low Level to 4 Amps, Hermetic Seal.
MIL-PRF-8805/11	-	Switches, Sensitive - Momentary, 2 Circuit, 10 Amperes, Unsealed.
MIL-PRF-8805/14	-	Switch, Sensitive, Maintained, 2 Circuit, 10 Amperes, Unsealed.
MIL-PRF-8805/15	-	Switches, Sensitive, Momentary, 4 Circuit, 15 Amperes, Unsealed.
MIL-PRF-8805/17	-	Switch, Sensitive, Maintained, 6 Circuit, 15 Amperes, Unsealed.
MIL-PRF-8805/18	-	Switch, Sensitive, Momentary, 6 Circuit, 15 Amperes, Unsealed.
MIL-PRF-8805/19	-	Switches, Sensitive - Momentary, 2 Circuit, 40 Amperes, Unsealed.
MIL-PRF-8805/20	-	Switches, Push, Momentary, 2 Circuit, Unsealed and Sealed.

* Inactive for new design

AMSC N/A

FSC 5930

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

MIL-PRF-8805E
SUPPLEMENT 1

- * MIL-PRF-8805/22 - Switches, Sensitive, SPDT, 5 Amperes, Unsealed.
- MIL-PRF-8805/23 - Switch Assemblies, Sensitive, Push, Momentary, 5 Amperes, Unsealed.
- MIL-PRF-8805/25 - Switch Assembly, Sensitive, Push, Alternate, Unsealed.
- MIL-PRF-8805/26 - Switch Assemblies, Sensitive, Toggle Lever (With Integral Leaf), 5 Amperes, Unsealed.
- MIL-PRF-8805/27 - Switches, Sensitive, 10 Amperes and Low Level, Unsealed.
- MIL-PRF-8805/28 - Switch, Sensitive, Momentary, SPDT, 7.5 Amperes, Unsealed.
- * MIL-PRF-8805/29 - Switch, Sensitive, SPDT, Momentary, Double Break, 10 Amperes, Unsealed.
- * MIL-PRF-8805/30 - Switch, Sensitive, SPDT, Momentary, Double Break, Dusttight.
- MIL-PRF-8805/31 - Switch, Sensitive, DPDT, Plunger, 10 Amperes, Unsealed.
- MIL-PRF-8805/32 - Switches, Sensitive, SPDT, 7 Amperes, Watertight.
- MIL-PRF-8805/34 - Switches, Sensitive - Maintained, 2-Circuit, 40 Amperes, Unsealed.
- * MIL-PRF-8805/36 - Switches, Push, 2PDT, Alternate Action, 10 Amperes, Unsealed.
- MIL-PRF-8805/38 - Switches, Push, Momentary, 4 Circuit, 4 Amperes or Low Level, Dusttight.
- MIL-PRF-8805/39 - Switches, Sensitive, Limit, Plunger, 7 Amperes, Resilient Seal, Fluid Resistant.
- MIL-PRF-8805/40 - Switches, Sensitive, Plunger, Resilient Seal, Fluid Resistant.
- MIL-PRF-8805/41 - Switch, Sensitive, DPDT, Plunger, 5 Amperes, Hermetic.
- MIL-PRF-8805/43 - Switches, Sensitive, Limit, Plunger, 7 Amperes or Low Level, Resilient Seal, Fluid Resistant.
- MIL-PRF-8805/44 - Switches, Sensitive, SPDT, 5 Amperes, Resilient Seal.
- MIL-PRF-8805/45 - Switches, Sensitive, SPDT, 5 Amperes, Resilient Seal.
- MIL-PRF-8805/46 - Switches, Sensitive, Leaf, SPDT, Hermetic.

* Inactive for new design

MIL-PRF-8805E
SUPPLEMENT 1

- MIL-PRF-8805/47 - Switches, Sensitive, SPDT, Lever, 25 Amperes, Hermetic.
- MIL-PRF-8805/48 - Switch, Sensitive, Limit, Roller Lever, Self-Return, Resilient Seal, Fluid Resistant.
- MIL-PRF-8805/49 - Switches, Sensitive, Limit, Rotary Linkage Lever (Nonself-return), Resilient Seal, Fluid Resistant.
- * MIL-PRF-8805/50 - Switch, Sensitive, Roller-Lever, Watertight.
- * MIL-PRF-8805/51 - Switch, Sensitive, Roller-Lever, Watertight.
- * MIL-PRF-8805/53 - Switch, Sensitive, 4 Circuit, Roller-Lever, Watertight.
- MIL-PRF-8805/55 - Switch, Push, Microphone, DPST, Normally Open, Foot Operated, Momentary, Unsealed and Watertight.
- MIL-PRF-8805/56 - Switch Assemblies, Sensitive, Interlock, Unsealed.
- * MIL-PRF-8805/57 - Switch Actuator, Plunger Type.
- * MIL-PRF-8805/58 - Switch Actuator, Extended Plunger Type.
- * MIL-PRF-8805/59 - Switch Actuator, Roller Leaf.
- * MIL-PRF-8805/61 - Switch, Sensitive, Plunger, SPDT, Unsealed.
- * MIL-PRF-8805/62 - Switches, Sensitive, SPDT, Momentary, Dusttight.
- MIL-PRF-8805/65 - Switch, Sensitive, DPDT, Plunger, 5 Amperes, Resilient Seal.
- MIL-PRF-8805/68 - Switches, Sensitive, SPDT, 7 Amperes, Hermetic Seal.
- MIL-PRF-8805/70 - Switches, Sensitive, DPDT and 4PDT, Plunger or Roller, 7 Amperes, Hermetically Sealed Contacts, Resilient Sealed Plunger.
- MIL-PRF-8805/72 - Switch, Sensitive, SPDT, Plunger, 7 Amperes, Hermetically Sealed Contacts, Unsealed Plunger.
- MIL-PRF-8805/73 - Switches, Sensitive, SPDT, Plunger, 7 Amperes, Hermetically Sealed Contacts, Resilient Sealed Plunger.

* Inactive for new design.

MIL-PRF-8805E
SUPPLEMENT 1

MIL-PRF-8805/74	-	Switches, Sensitive, SPDT, Plunger or Roller, 7 Amperes, Hermetically Sealed Contacts.
MIL-PRF-8805/76	-	Switches, Sensitive, 2 Circuit (5 Amperes) or SPST (8 Amperes), Unsealed.
MIL-PRF-8805/77	-	Switches, Sensitive, Momentary, 4 Circuit or DPDT (10 Amperes), Unsealed.
MIL-PRF-8805/80	-	Switch, Sensitive, Limit, Hermetic Seal.
MIL-PRF-8805/82	-	Switches, Sensitive, Leaf, SPDT, Hermetic.
MIL-PRF-8805/84	-	Switches, Sensitive, Watertight, 10 Amperes, Double Break.
* MIL-PRF-8805/85	-	Switch, Sensitive, Rotary (Non-Self Return), 4 Amperes, Resilient Seal.
MIL-PRF-8805/90	-	Switch, Sensitive, Low Force, SPDT, 10 Amperes, Unsealed.
MIL-PRF-8805/92	-	Switch Assemblies, Sensitive, Lever Lock, 5 Amperes, Unsealed.
MIL-PRF-8805/93	-	Switches, Toggle, Unsealed, 7.0 Amperes.
MIL-PRF-8805/95	-	Switches, Push, 2PDT, Momentary, 1 Ampere, Unsealed.
MIL-PRF-8805/96	-	Switches, Push, Momentary, SPST, 5 Amperes.
MIL-PRF-8805/98	-	Switches, Sensitive Switch Assembly, Toggle, 7 Amperes, Panel Seal, Toggle Seal.
MIL-PRF-8805/99	-	Switches, Push, 2 Circuit and DPDT, Alternate and Momentary Action, 2 Amperes, Watertight.
MIL-PRF-8805/100	-	Switches, Sensitive, Plunger, 10 Amperes 2PDT and 7 Amperes 4PDT, Resilient Seal.
MIL-PRF-8805/101	-	Switches, Sensitive, 2 Circuit (5 Amperes) or SPDT (8 Amperes), Unsealed, Low Level Switching, Form C or Form Z.
MIL-PRF-8805/104	-	Switches, Sensitive, Plunger, 7 Amperes, 4PDT, Resilient Seal, Grounded Plunger.
MIL-PRF-8805/106	-	Switch, Sensitive, SPDT, Low Level to 2 Amps, 400EF, Unsealed.

* Inactive for new design.

MIL-PRF-8805E
SUPPLEMENT 1

- MIL-PRF-8805/107 - Switches, Push, Momentary and Push-Pull, 10 Amperes, Dusttight.
- MIL-PRF-8805/109 - Switches, Sensitive, SPDT, Unsealed, 7 Amperes, 0.156 Width Base.
- MIL-PRF-8805/110 - Switches, Pushbutton, Momentary, 5 Amperes and Low Level, Miniature, Dusttight or Watertight.
- MIL-PRF-8805/111 - Switch Assemblies, Sensitive, Trigger, 7 Amperes, Unsealed.
- MIL-PRF-8805/114 - Switch Assembly, Sensitive, Roller Plunger, SPDT, 7 Amperes, Watertight Seal.

* Inactive for new design.

Custodians:

Army - CR
Navy - EC
Air Force - 11
NASA - NA

Preparing activity:
DLA - CC

(Project 5930-1572)

Review activities:

Army - AR, AV, MI
Navy - AS, MC, OS, SH
Air Force - 19